


## Thunderbird Mail-Einstellungen

Einstellungen für die Inbox / Posteingang (pop Account)

### Thunderbird Mail - pop codepoetry.de




The screenshot shows the 'Account Settings' dialog box for a POP account named 'pop codepoetry.de'. The dialog is divided into several sections:

- Account Name:** pop codepoetry.de
- Default Identity:** Each account has an identity, which is the information that other people see when they read your messages.
  - Your Name:** Vorname Nachname
  - Email Address:** ihre.email@xyz.de
  - Reply-to Address:** Recipients will reply to this other address
  - Organization:** (empty)
  - Signature text:**  Use HTML (e.g., <b>bold</b>)
- Attach the signature from a file instead (text, HTML, or image):**  (with a 'Choose...' button)
- Attach my vCard to messages:**  (with an 'Edit Card...' button)
- Outgoing Server (SMTP):** code-poetry.de - mail.code-poetry.de (Default)
- Buttons:** 'Manage Identities...', 'OK', and 'Cancel'.

In the background, the Thunderbird interface is visible, showing the 'Accounts' pane with 'pop codepoetry.de' selected. A context menu is open over the account name, listing options such as 'Server Settings', 'Copies & Folders', 'Composition & Addressing', 'Junk Settings', 'Disk Space', 'OpenPGP Security', 'Return Receipts', 'Security', and 'Account Actions'.

## Thunderbird Mail - pop codepoetry.de




The screenshot shows the 'Account Settings' dialog box for a POP Mail Server. The 'Server Settings' tab is selected, showing the following configuration:

- Server Type: POP Mail Server
- Server Name: mail.code-poetry.de
- Port: 995 (Default: 995)
- User Name: ihre.email@xyz.de
- Security Settings:
  - Connection security: SSL/TLS
  - Authentication method: Normal password
- Server Settings:
  - Check for new messages at startup
  - Check for new messages every 5 minutes
  - Automatically download new messages
  - Fetch headers only
  - Leave messages on server
    - For at most 6 days
    - Until I delete them
- Message Storage:
  - Empty Trash on Exit (Advanced...)
  - Local directory: (Browse...)

The left sidebar of the Thunderbird interface is visible, showing the 'Accounts' section with the account 'pop codepoetry.de' selected. The 'Advanced Features' section is also visible, including options like 'Search messages' and 'Manage messages'.

Einstellungen für die Outbox / Postausgang (smtp Account)

## Thunderbird Mail - pop codepoetry.de



The screenshot shows the 'Account Settings' window in Thunderbird Mail. The 'Outgoing Server (SMTP) Settings' tab is active, displaying a list of servers with 'code-poetry.de - mail.code-poetry.de (Default)' selected. An 'SMTP Server' dialog box is open, showing the following configuration:

- Description: code-poetry.de
- Server Name: mail.code-poetry.de
- Port: 465 (Default: 465)
- Connection security: SSL/TLS
- Authentication method: Normal password
- User Name: ihre.email@xyz.de

The dialog box has 'OK' and 'Cancel' buttons. The main window also has 'OK' and 'Cancel' buttons at the bottom right.